

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK AGOSOLVANT Supercedes Date: 19-Jan-2017

### Revision Date 19-Sep-2017 Version 1.03

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product NameBOSTIK AGOSOLVANTPure substance/mixtureMixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Uses advised against

Solvents/thinner. None known.

## 1.3. Details of the supplier of the safety data sheet

Company Name Bostik SA Immeuble "Le Jade" 253 Avenue du President Wilson 93211 La Plaine Saint Denis France Tel: +33 (0)1 55 99 90 00 Fax: +33 (0)1 55 99 90 01

## E-mail address

SDS.box-EU@bostik.com

## 1.4. Emergency telephone number

**Emergency Telephone** 

No information available

## Section 2: HAZARD IDENTIFICATION

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aspiration toxicity	Category 1 - (H304)
Skin Corrosion/Irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity (single exposure)	Category 3 - (H336)
Category 3 Respiratory irritation, Narcotic effects.	
Chronic aquatic toxicity	Category 2 - (H411)
Flammable Liquids	Category 2 - (H225)

## 2.2. Label Elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains : Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane, Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane, Hexane, Ethyl acetate

## BOSTIK AGOSOLVANT Supercedes Date: 19-Jan-2017

Revision Date 19-Sep-2017 Version 1.03



Signal Word DANGER

### Hazard statements

- H225 Highly flammable liquid and vapour
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness
- H411 Toxic to aquatic life with long lasting effects

#### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P273 - Avoid release to the environment

P280 - Wear protective gloves and eye/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Additional information

This product requires child resistant fastenings if supplied to the general public This product requires tactile warnings if supplied to the general public

2.3. Other Hazards

### General Hazards

In use may form flammable/explosive vapour-air mixture.

### PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable

## 3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane	921-024-6		>25 - <40	STOT SE 3 (H336) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Aquatic Chronic 2 (H411) Flam Liq. 2 (H225)		01-2119475514-35 -XXXX

### BOSTIK AGOSOLVANT Supercedes Date: 19-Jan-2017

## Revision Date 19-Sep-2017 Version 1.03

Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	926-605-8		20 - 25	STOT SE 3 (H336) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) Flam. Liq. 2 (H225) (EUH066)	01-2119486291-36 -xxxx
Ethyl acetate	205-500-4	141-78-6	20 - 25	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225) (EUH066)	01-2119475103-46 -XXXX
Methyl ethyl ketone	201-159-0	78-93-3	10 - <20	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225) (EUH066)	01-2119457290-43 -XXXX
Hexane	203-777-6	110-54-3	0.1- <1	Skin Irrit. 2 (H315) Repr. 2 (H361f) STOT SE 3 (H336) STOT RE 2 (H373) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) Flam. Liq. 2 (H225)	01-2119480412-44 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

General Advice	If medical advice is needed, have product container or label at hand.		
Inhalation	Remove to fresh air.		
Skin Contact	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention.		
Eye contact	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Call a doctor immediately.		
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.		
Self-Protection of the First Aider	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.		
4.2. Most important symptoms and	d effects, both acute and delayed		
Symptoms	None known.		
4.3. Indication of any immediate medical attention and special treatment needed			

Note to doctors Treat symptomatically.

## Section 5: FIRE-FIGHTING MEASURES

## 5.1. Extinguishing media

# BOSTIK AGOSOLVANT

Supercedes Date: 19-Jan-2017

Suitable Extinguishing Media

Use CO2, dry chemical, or foam.

## Unsuitable Extinguishing Media

Use water spray or fog; do not use straight streams

## 5.2. Special hazards arising from the substance or mixture

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

## 5.3. Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.

Water spray may reduce vapour; but may not prevent ignition in closed spaces.

#### For emergency responders

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

### 6.2. Environmental precautions

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

## 6.3. Methods and material for containment and cleaning up

Methods for Containment	Dyke far ahead of spill; use dry sand to contain the flow of material. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
Methods for cleaning up	Use clean non-sparking tools to collect absorbed material.
6.4. Reference to other sections	
Reference to other sections	See Section 12: ECOLOGICAL INFORMATION Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## Section 7: HANDLING AND STORAGE

## 7.1. Precautions for safe handling

## Advice on safe handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static charges. Use explosion-proof electrical/ ventilating/ lighting/ equipment.

### General Hygiene Considerations

Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended.

### 7.2. Conditions for safe storage, including any incompatibilities

### **Storage Conditions**

Keep only in the original container/package in a cool well-ventilated place.

## BOSTIK AGOSOLVANT

Supercedes Date: 19-Jan-2017

## 7.3. Specific end use(s)

## **OTHER INFORMATION**

Recommendation(s). Observe technical data sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical Name	European Union
Methyl ethyl ketone	TWA: 200 ppm
78-93-3	TWA: 600 mg/m <sup>3</sup>
	STEL: 300 ppm
	STEL: 900 mg/m <sup>3</sup>
Hexane	TWA: 20 ppm
110-54-3	TWA: 72 mg/m <sup>3</sup>

Derived No Effect Level (DNEL) No information available

<b>Predicted No Effect Concentration</b>	No information available.
(PNEC)	

8.2. Exposure controls

Ensure adequate ventilation, especially in confined areas. **Engineering Controls Personal Protective Equipment Eve/Face Protection** Tight sealing safety goggles. Face protection shield. Hand Protection Gloves must conform to standard EN 374. Wear protective nitrile rubber gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Antistatic footwear. Wear fire/flame resistant/retardant clothing. Suitable protective **Skin and Body Protection** clothing. Apron. **Respiratory Protection** In case of insufficient ventilation, wear suitable respiratory equipment. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Filtering device (DIN EN 147) Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Recommended filter type:

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Colour Odour Odour Threshold <u>Property</u> pH Melting point / freezing point Boiling Point Flash Point Evaporation Rate Flammability (solid, gas)

Flammability Limit in Air

Liquid Colourless Hydrocarbons No information available

<u>Values</u> No information available No information available 63 °C / 145.4 °F -17 °C / 1.4 °F No information available No information available Remarks • Method

CC (closed cup)

#### BOSTIK AGOSOLVANT Supercedes Date: 19-Jan-2017

Upper Flammability Limit Lower Flammability Limit Vapour Pressure Vapour Density Relative Density Water Solubility Solubility in Other Solvents Partition Coefficient Autoignition Temperature Decomposition Temperature Explosive Properties Explosive Limits Upper Lower Oxidising Properties Kinematic Viscosity	11.5 1.1 < 110 No information available No information available - Insoluble in water Acetone No information available No information available	kPa @ 23 °C
Dynamic Viscosity	No information available	
9.2. Other information Softening Point Molecular Weight Solvent content (%) Solid content (%) Density Bulk Density VOC content (%)	No information available No information available No information available 0 0.77 g/cm <sup>3</sup> No data available	

## Section 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

Stable under recommended storage conditions.

### 10.2. Chemical stability

Stable under recommended storage conditions.

Explosion DataSensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeMay be ignited by friction, heat, sparks or flames.

### 10.3. Possibility of hazardous reactions

### **Possibility of Hazardous Reactions** None under normal processing.

## 10.4. Conditions to avoid

Keep away from heat, sparks and flames.

### 10.5. Incompatible materials

Strong acids and bases.

## 10.6. Hazardous decomposition products

None under normal use conditions.

## Section 11: TOXICOLOGY INFORMATION

## 11.1. Information on toxicological effects

#### BOSTIK AGOSOLVANT Supercedes Date: 19-Jan-2017

## Information on likely routes of exposure

## **Product Information**

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.
Sensitisation	No data available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation	Not applicable.
Serious eye damage/eye irritation	Not applicable.
Sensitisation	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Carcinogenicity	Not applicable.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Target Organ Effects	Central nervous system, Eyes, Respiratory system, Skin.
Aspiration hazard	No information available.

Numerical measures of toxicity

**Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 7,290.00 mg/kg

7,290.00 mg/kg 6,457.00 mg/kg

#### **Component Information**

ATEmix (dermal)

#### **Toxicity Data**

## No information available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane 	LD50 >5840 mg/kg (Rat)	LD50 >2800-3100 mg/kg (Rat)	_
Ethyl acetate 141-78-6	= 5620 mg/kg (Rat)	> 18000 mg/kg (Rabbit)> 20 mL/kg (Rabbit)	LC0 29.3 mg/l air
Methyl ethyl ketone 78-93-3	= 2483 mg/kg (Rat)	= 5000 mg/kg (Rabbit)	= 11700 ppm (Rat)4 h
Hexane 110-54-3	= 25 g/kg (Rat)	= 3000 mg/kg (Rabbit)	= 48000 ppm (Rat)4 h

## Section 12: ECOLOGICAL INFORMATION

#### BOSTIK AGOSOLVANT Supercedes Date: 19-Jan-2017

## 12.1. Toxicity

Ecotoxicity

Toxic to aquatic life with long lasting effects

### Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane 	EL50 (72h)= 26 mg/L (Pseudokirchneriella subcapitata) OECD 201	LL50 (96h) =12 mg/L Fish (Oncorhynchus mykiss) OECD 203	EL50 (48h) =3mg/L (Daphnia magna) OECD 202	
Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane 	-	LL50 (96h)=12mg/L (Oncorhynchus mykiss)Semi-static OECD 203	-	
Ethyl acetate 141-78-6	EC50 48 h = 3300 mg/L (Desmodesmus subspicatus)	LC50 96 h 220 - 250 mg/L (Pimephales promelas flow-through) LC50 96 h = 484 mg/L (Oncorhynchus mykiss flow-through) LC50 96 h 352 - 500 mg/L (Oncorhynchus mykiss semi-static)		
Methyl ethyl ketone 78-93-3	EC50=1972 mg/l (Pseudokirchneriella subcapitata)	LC50 96 h 3130 - 3320 mg/L (Pimephales promelas flow-through)	EC50 48 h > 308 mg/L (Daphnia magna )	
Hexane 110-54-3	-	LC50 96 h 2.1 - 2.98 mg/L (Pimephales promelas flow-through)	EC50 24 h > 1000 mg/L (Daphnia magna )	

## 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

## 12.4. Mobility in soil

Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

## 12.6. Other adverse effects

No information available

## **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors.

## Section 13: DISPOSAL CONSIDERATIONS

## BOSTIK AGOSOLVANT Supercedes Date: 19-Jan-2017

13.1. Waste treatment methods	
Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Improper disposal or reuse of this container may be dangerous and illegal.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
OTHER INFORMATION	Waste codes should be assigned by the user based on the application for which the product was used.

# Section 14: TRANSPORTATION INFORMATION

ADR	
14.1 UN/ID no	UN1993
14.2 Proper Shipping Name	Flammable liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5%
· ··· · · · · · · · · · · · · · · · ·	n-hexane, Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane), Environmentally
	Hazardous
14.3 Hazard Class	3
Hazard Labels	3
14.4 Packing Group	II
Description	UN1993, Flammable liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic,
	<5% n-hexane, Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane), 3, II, (D/E),
	Environmentally Hazardous
14.5 Environmental Hazard	Yes 274, 601, 640C
14.6 Special Provisions Classification Code	E1
Tunnel restriction code	(D/E)
Limited Quantity (LQ)	1L
ADR Hazard Id (Kemmler	33
Number)	
IMDG_	
14.1 UN/ID no	UN1993
14.2 Proper Shipping Name	Flammable liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5%
	n-hexane, Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane), Marine Pollutant
14.3 Hazard Class 14.4 Packing Group	3 
Description	UN1993, Flammable liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic,
Description	<5% n-hexane, Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane), 3, II, (-17°C
	c.c.). Marine Pollutant
14.5 Marine Pollutant	P
This material meets the definition	n of a marine pollutant
14.6 Special Provisions	274
Limited Quantity (LQ)	1L
EmS-No	F-E, S-E
14.7 Transport in bulk according	to Annex II of MARPOL 73/78 and the IBC Code No information available
RID	
14.1 UN/ID no	UN1993
14.2 Proper Shipping Name	Flammable liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5%
	n-hexane, Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane), Environmentally
	Hazardous
14.3 Hazard Class	3
Hazard Labels	3
14.4 Packing Group	
Description	UN1993, Flammable liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic,
	<5% n-hexane, Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane), 3, II,
14.5 Environmental Hazard	Environmentally Hazardous Yes
14.5 Environmental Mazaru	1 50

#### BOSTIK AGOSOLVANT Supercedes Date: 19-Jan-2017

Classification Code	F1
14.6 Special Provisions	274, 601, 640D
Limited Quantity (LQ)	1 L
ICAO (air)	UN1993
14.1 UN/ID no	Flammable liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5%
14.2 Proper Shipping Name	n-hexane, Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane)
14.3 Hazard Class	3
14.4 Packing Group	II
Description	UN1993, Flammable liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic,
14.5 Environmental Hazard 14.6 Special Provisions	Six 1993, Frammable liquid, 11.0.5. (Hydrocarbons, Co-C7, 11-aikanes, isoaikanes, cyclic, <5% n-hexane, Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane), 3, II Yes A3
<u>IATA</u>	UN1993
14.1 UN/ID no	Flammable liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5%
14.2 Proper Shipping Name	n-hexane, Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane)
14.3 Hazard Class 14.4 Packing Group Description	3 II UN1993, Flammable liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane, Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane), 3, II
14.5 Environmental Hazard	Yes
14.6 Special Provisions	A3
Limited Quantity (LQ)	1 L
ERG Code	3H

## Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

# EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical Name	CAS No
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane	
Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	-
Ethyl acetate	141-78-6
Methyl ethyl ketone	78-93-3
Hexane	110-54-3

## EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### BOSTIK AGOSOLVANT Supercedes Date: 19-Jan-2017

Chemical Name	CAS No	Restrictions on use
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane	-	
Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane		
Ethyl acetate	141-78-6	
Methyl ethyl ketone	78-93-3	
Hexane	110-54-3	

## EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Chemical Name	CAS No
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane	
Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	
Ethyl acetate	141-78-6
Methyl ethyl ketone	78-93-3
Hexane	110-54-3

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

## Persistent Organic Pollutants

Not applicable

## National Regulations

France

## Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Ethyl acetate 141-78-6	RG 84
Methyl ethyl ketone 78-93-3	RG 84
Hexane 110-54-3	RG 59,RG 84

## Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV Flammable liquid (R11), EEC: refer to Annex III No. 1 (fire and explosion hazards) and § 7 paragraph 4

Water hazard class (WGK) WGK 2

## Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Chemical Name	Netherlands
Hexane	Fertility (Category 2)
110-54-3	

## BOSTIK AGOSOLVANT

Supercedes Date: 19-Jan-2017

STEL (Short Term Exposure Limit)

Skin designation

### 15.2. Chemical safety assessment

No information available

## Section 16: OTHER INFORMATION

## Key or legend to abbreviations and acronyms used in the safety data sheet

## Full text of H-Statements referred to under section 3

H315 - Causes skin irritation

## H361f - Suspected of damaging fertility

H336 - May cause drowsiness or dizziness

- H373 May cause damage to organs through prolonged or repeated exposure if inhaled
- H304 May be fatal if swallowed and enters airways

H411 - Toxic to aquatic life with long lasting effects

H225 - Highly flammable liquid and vapour

H319 - Causes serious eye irritation

EUH066 - Repeated exposure may cause skin dryness or cracking

### Legend

SVHC: Substances of Very High Concern for Authorisation:

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWATWA (time-weighted average)STELCeilingMaximum limit value\*PBTPersistent, Bioaccumulative, and Toxic (PBT) ChemicalsSTOT (RE):Specific target organ toxicity - Repeated exposureSTOT (SE):Specific target organ toxicity - Single exposureEWC:European Waste Catalogue

### Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By	Product Safety & Regulatory Affairs
Revision Date	19-Sep-2017
Indication of changes	
Revision Note	SDS sections updated: 14.
Training Advice	Provide adequate information, instruction, and training for operator
Additional information	No information available

### This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **End of Safety Data Sheet**